

This is a repository copy of *Climate economics support for the UN climate targets*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/161435/>

Version: Accepted Version

---

**Article:**

Hänsel, Martin, Drupp, Moritz, Johannson, Daniel et al. (5 more authors) (2020) Climate economics support for the UN climate targets. *Nature Climate Change*. 781–789. ISSN 1758-678X

<https://doi.org/10.1038/s41558-020-0833-x>

---

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.

# 1    **Climate economics support for the UN climate targets**

2    Martin C. Hänsel<sup>1</sup>, Moritz A. Drupp<sup>2</sup>, Daniel J.A. Johansson<sup>3</sup>, Frikk Nesje<sup>4,5</sup>, Christian Azar<sup>3</sup>,  
3    Mark C. Freeman<sup>6</sup>, Ben Groom<sup>7,\*</sup> & Thomas Sterner<sup>8</sup>

4

## 5    Abstract

6    Under the UN Paris Agreement, countries committed to limiting global warming to well  
7    below 2°C, and to actively pursue a 1.5°C limit. Yet, according to the 2018 Economics Nobel  
8    laureate William Nordhaus, these targets are economically suboptimal or unattainable and  
9    the world community should aim for 3.5°C in 2100 instead. Here we show that the UN  
10   climate targets may be optimal even in the DICE integrated assessment model, when  
11   appropriately updated. Changes to DICE include more accurate calibration of the carbon  
12   cycle and energy balance model, and updated climate damage estimates. To determine  
13   economically “optimal” climate policy paths, we use evidence on the range of expert views  
14   on the ethics of intergenerational welfare. When updates from climate science and  
15   economics are considered jointly, we find that around three-quarters (one-third) of expert  
16   views on intergenerational welfare translate into economically optimal climate policy paths  
17   that are consistent with the 2°C (1.5°C) target.

18

19

---

<sup>1</sup>Potsdam Institute for Climate Impact Research, Leibniz Association, Germany. <sup>2</sup>Department of Economics and Center for Earth System Research and Sustainability (CEN), University of Hamburg, Germany; CESifo, Munich, Germany. <sup>3</sup>Division of Physical Resource Theory, Department of Space, Earth & Environment, Chalmers University of Technology, Sweden. <sup>4</sup>Department of Economics, Heidelberg University, Germany. <sup>5</sup>Department of Economics, University of Oslo, Norway. <sup>6</sup>York Management School, University of York, UK. <sup>7</sup>Department of Geography and Environment and Grantham Research Institute on Climate Change and the Environment, London School of Economics and Political Science, and Department of Economics, University of Exeter, UK. <sup>8</sup>Department of Economics, University of Gothenburg, Sweden.

\*E-mail: B.Groom@lse.ac.uk.

20 Limiting global warming to well below 2°C (let alone 1.5°C) as decided in the UNFCCC Paris  
21 Climate Agreement is either unattainable or far from the economic optimal according to  
22 William Nordhaus<sup>1</sup>. Instead, his economic analysis implies a climate policy path that limits  
23 global warming to 3.5°C by the end of the century and decarbonizes the economy only in  
24 the next century. According to Nordhaus, this reflects the economically optimal balance  
25 between future benefits and current costs. So while both the UN climate targets and Nobel  
26 Prize winner highlight the need for a policy response to global climate change, they are  
27 strikingly different in the stringency of the recommended temperature goals and the  
28 implied emission pathways over the century<sup>2,3</sup>.

29 Nordhaus' recommendations are derived from the DICE integrated assessment model (IAM),  
30 which he created and developed in several steps<sup>4,5</sup>. The model seeks to find the optimal  
31 emission, temperature and carbon tax trajectories by balancing the costs of emissions  
32 reductions and the damages of climate change, measured in economic terms. Emissions  
33 reductions are justified provided the benefits of avoiding climate damages outweigh the  
34 costs, e.g. higher costs associated with energy supply. Nordhaus was early in making his  
35 model readily available to the research community and it has become central in climate  
36 economic analysis and highly influential in policy discussions<sup>6-8</sup>. However, DICE has also been  
37 criticized on a number of grounds. These include the choice of discounting parameters<sup>9-11</sup>,  
38 the model's omission of uncertainty and the risk for climate catastrophes<sup>12-15</sup>, the treatment  
39 of non-market damages<sup>16,17</sup>, and details of its climate model<sup>18-20</sup>. Notably DICE's concept of  
40 economic optimality, i.e. maximizing a Discounted Utilitarian social welfare function, has  
41 been criticized for not reflecting the structure of optimal-control models that incorporate  
42 risk and uncertainty<sup>15</sup>, and for its reliance on a single conception of intergenerational  
43 welfare<sup>21-24</sup>. DICE has also been subject to general criticism regarding the use of cost-benefit  
44 analysis for climate policy purposes<sup>25-27</sup>.

45 The Committee for the Prize in Economic Sciences in Memory of Alfred Nobel was well  
46 aware that the precise conclusions that Nordhaus draws from DICE are highly sensitive to  
47 specific assumptions. In its scientific background paper, the Committee stated that the 2018  
48 Laureate was rewarded for the methodological contribution of integrated assessment  
49 modelling, not the specific policy recommendations following from DICE's baseline  
50 calibration. In this Analysis, we show that updates to the existing parameters of the DICE  
51 model, drawn from some of the latest contributions in social and climate science, lead to  
52 economically optimal climate policies and emissions pathways that are in line with the UN  
53 climate targets.

54 Specifically, our updates to the basic DICE parameters draw from the latest findings on  
55 economic damage functions<sup>28</sup>, which Nordhaus<sup>1</sup> includes in a sensitivity analysis, together  
56 with some of the latest climate science<sup>29,30</sup>, and a broad range of expert recommendations  
57 on social discount rates<sup>24</sup>. This is complemented by revised assumptions regarding non-CO<sub>2</sub>  
58 greenhouse gas emissions<sup>31</sup>, the feasibility of negative emission technologies<sup>2,32</sup>, and

constraints on the feasible speed of decarbonization<sup>2,33</sup>. While some of these individual updates have already been analyzed in the existing literature, our innovation is to analyze their joint effect in DICE. This reveals that there is no inherent discrepancy between the method underpinning the 2018 Economics Nobel Prize and the UN climate targets.

63

## 64 Updates to the Climate Module

Our first major update of the DICE model serves to better reflect the relationship between emissions, concentration and temperature change. The climate module in the most recently available version of DICE-2016R2<sup>34</sup> has two key limitations. First, DICE uses a linearized carbon cycle model. This linearization has been undertaken for cumulative CO<sub>2</sub> emission levels far higher than those compatible with the UN climate targets<sup>5</sup>. Consequently, the impact on CO<sub>2</sub> concentrations of each emissions pulse is overestimated for any scenario in which cumulative emissions are smaller than those found Nordhaus' optimal analyses<sup>34,35</sup>. Second, the energy balance model that is used to calculate the temperature impacts of radiative forcing in DICE is not in line with the most recent advanced climate system models.

We first update DICE by implementing the carbon cycle module from the simple climate model FAIR<sup>29,30</sup>. This module takes into account how the removal rate of atmospheric CO<sub>2</sub> depends on past cumulative CO<sub>2</sub> emissions and changes in the global mean surface temperature. The FAIR model was central for the assessment of emission pathways in the IPCC Special Report<sup>36</sup> on 1.5°C warming<sup>2</sup>.

To further improve the energy balance model in DICE, we recalibrate it so that its response approximates the results of advanced climate system models included in the Coupled Model Inter-comparison Project 5 (CMIP5)<sup>37</sup>. The findings of CMIP5 were central for the climate system model characterizations in the IPCC's Fifth Assessment Report<sup>38</sup>. Geoffroy et al.<sup>37</sup> fit simple two-box energy balance models to larger climate system models and show that these simple models capture the global aggregated temperature dynamics of the large-scale climate system models. We use the findings of Geoffroy et al.<sup>37</sup> to recalibrate the two-box energy balance model in DICE and thus make its temperature dynamics consistent with recent climate science.

The climate sensitivity that determines the equilibrium temperature change for a given change in radiative forcing in DICE is set to 3.1°C for a doubling of the atmospheric CO<sub>2</sub> level<sup>5</sup>. As this remains consistent with the most recent central estimates of equilibrium climate sensitivity<sup>39,40</sup>, we leave it unchanged.

These updates roughly align our temperature pathways for a given emission scenario with median estimates generated by simple climate models (FAIR and MAGICC) used in the IPCC Special Report on 1.5°C warming<sup>2,41</sup> and in the UN Emissions Gap Report<sup>3</sup>. See Methods and Extended Data Fig. 1, 2, 5 and 6 for how the carbon cycle and EBM updates, respectively, affect the optimal pathways. With these changes, lower temperature scenarios become

97 attainable, and the optimal temperature change by 2100 drops by half a degree compared  
98 to the original DICE calibration, to just below 3°C by the end of this century.

99

## 100 Updates to the Economics

101 The optimal policy response in DICE is notoriously sensitive to two socio-economic inputs:  
102 the social discount rate and the magnitude of economic damages incurred as temperatures  
103 increase. The damage function has proven difficult to estimate because of the joint  
104 uncertainties of physical climatic effects, the likely socio-economic responses to these  
105 effects, and the economic valuation of these damages. Since the first attempts to estimate  
106 economic damages for different temperature levels<sup>4,9,42-44</sup>, methodologies have improved,  
107 but key challenges remain<sup>45</sup>. For instance, the quadratic damage function used in the  
108 standard DICE is calibrated to a meta-analysis<sup>46</sup> that has been shown to suffer from multiple  
109 citation bias, a form of non-independence<sup>28</sup>. We instead use the damage function of  
110 Howard and Sterner<sup>28</sup>, who provide an up-to-date meta-analysis of the quadratic  
111 temperature-damage relationship that corrects for the problem of non-independence. In  
112 what they refer to as their “preferred model”, damages are substantially higher than in the  
113 original DICE model, reaching 6.7% of global GDP for a 3°C temperature increase, as  
114 compared to 2.1% in the standard DICE<sup>34</sup>. This updated damage function is closer to, yet still  
115 more conservative than, recent micro-econometric studies<sup>47</sup> and expert elicitations on the  
116 topic<sup>48,49</sup>, which estimate damages upwards of around 10% of global GDP for a 3°C  
117 temperature increase. In our central model, we do not change the functional form of the  
118 damage function, as in Weitzman<sup>12,50</sup> or Glanemann et al.<sup>51</sup>, who apply the damage function  
119 of Burke et al.<sup>47</sup>, but rather update how damage estimates are combined to calibrate the  
120 standard DICE damage function. When using our updated damage function alongside the  
121 improved calibration of the carbon cycle and energy balance model, leaving DICE otherwise  
122 unchanged, optimal temperature is reduced by a further 0.8 degrees to 2.2°C by 2100. For  
123 robustness, we also undertake a simulation of the Weitzman<sup>50</sup> damage function, which has  
124 higher order polynomial terms. The details of how this recalibration affects the model  
125 results can be found in the Methods and Fig. S3 in the additional Supplementary  
126 Information.

127 Next, we consider the determinants of intergenerational welfare as embodied in the social  
128 discount rate (SDR). The SDR captures the ethical choices involved when policies transfer  
129 well-being between current and future generations<sup>11,52,53</sup>. The SDR can be simultaneously  
130 viewed as embodying conditions on fairness and economic efficiency across generations.  
131 Again, we do not change the structure of the DICE model, and our updates calibrate  
132 parameters of the standard Discounted Utilitarian social welfare function used in DICE: the  
133 pure rate of time preference and the elasticity of marginal utility (See Box 1). Other studies  
134 have changed the structure of the social welfare function by separating out the coefficient  
135 of risk aversion and the elasticity of intertemporal substitution, for instance. Indeed, there  
136 are many different ways in which social welfare could be measured<sup>24</sup>. Box 1 presents further

137 details on DICE's Discounted Utilitarian social welfare function, including extensions that  
138 incorporate risk and uncertainty<sup>15,54-56</sup>.

139 Climate policy recommendations are very sensitive to the choice of discount rate. Subjective  
140 ethical perspectives underpin often irreducible differences of opinion on the matter, making  
141 the choice of SDR the subject of disagreement. To inform policy it is therefore important to  
142 understand the extent of disagreement. For this reason, we update the DICE model by using  
143 the latest evidence on expert recommendations on the SDR. Drupp et al.<sup>24</sup> surveyed 173  
144 experts on what Nordhaus<sup>57</sup> referred to as the two "central normative parameters" that  
145 determine the SDR: the pure rate of time preference and elasticity of marginal utility. The  
146 survey responses contain both positive and normative viewpoints on these parameters. By  
147 using these data, we move away from the simple black and white characterization of social  
148 discounting that is usually framed in terms of the Stern versus Nordhaus debate, and engage  
149 with the full range of expert recommendations.

150 We employ two approaches to summarizing the range of expert recommendations for  
151 policy purposes. First, we consider the climate paths associated with each expert's chosen  
152 pair of discounting parameters and take the median ("median expert path") of all 173 model  
153 runs for the SCC, temperature and emissions at each point in time. Second, we consider the  
154 median response for each of the two discounting parameters separately ("median expert  
155 view"). Both approaches have a theoretical justification in the literature on voting outcomes  
156 (see Methods), and hence imagine a voting solution to the disagreement on the SDR<sup>58-60</sup>.

157 Both approaches place greater weight on future generations' well-being compared to  
158 Nordhaus' calibration, leading to more stringent climate policies. Compared to the original  
159 DICE using Nordhaus' discounting parameters, the optimal temperature is reduced by 0.5°C  
160 and 1.1°C according to the "median expert path" and the "median expert view"  
161 respectively. When combined with the previous updates to the climate science and the  
162 damage function, the optimal temperature increase above the pre-industrial level falls from  
163 2.2°C by 2100 in the case of Nordhaus' discounting parameter choices, to 2.0°C under the  
164 "median expert path". The temperature change under the "median expert view" is even  
165 lower at 1.7°C.

166

167

168

169

170

171

### Box 1: Details on social/intergenerational discounting

Economic “optimality” in DICE relates to an optimal consumption and emissions path that results from maximizing an inter-temporal Discounted Utilitarian welfare function subject to economic and climate constraints. Specifically, intergenerational welfare in DICE is the discounted sum of utilities at each point in time where utility is discounted at the pure rate of time preference  $\delta$ , and marginal utility diminishes by  $\eta\%$  with each 1% increase in consumption. That is,  $\eta$  is the (absolute) elasticity of marginal utility. Depending on the parameterization of intergenerational welfare and on the constraints, many different paths of consumption and associated climate policies may be considered “optimal”. The social discount rate for consumption in this framework depends on both parameters and is given by the simple Ramsey rule:

$$\text{Social discount rate} = \delta + \eta * g, \quad (1)$$

where  $g$  the growth rate of consumption. According to the rule,  $\delta$  and  $\eta * g$  reflect two distinct reasons for discounting future consumption.

The pure time preference,  $\delta$ , specifies how impatient society is (a positive approach) or should be (a normative approach) when waiting for future well-being. A pure time preference of 1.5% per year (or 0.5%) implies that the well-being of someone 100 years from now would be valued 77% (39%) less than the well-being of someone living today. These values correspond to the value judgement of Nordhaus and the median expert from Drupp et al.<sup>24</sup>, respectively. Many believe that all generations should be weighted equally ( $\delta = 0\%$ ). Others have argued for positive values to account for the small risk of humankind’s extinction (e.g.  $\delta = 0.1\%$ )<sup>11</sup>, because non-discrimination may demand unacceptably high saving from the current generation<sup>61</sup>, or because impatience is reflected in real rates of return on capital markets<sup>52</sup>.

$\eta$  can also be interpreted as measuring inter-temporal inequality aversion. Due to diminishing marginal utility, the idea is that an additional \$1 is worth more to a poor person than a rich one. In a growing economy, citizens in the future will be richer and their lower marginal utility motivates discounting. Suppose the economy grows at 2%. People living in 100 years will be seven times richer. If inequality aversion is the only reason for discounting, if  $\eta = 1$  (1.45), which corresponds to the values of the median expert (Nordhaus), the value of \$1 in 100 years is only 14 (6) cents. To estimate this parameter experts use introspection, experiments, surveys, revealed evidence from tax schedules and savings decisions<sup>62</sup>. More generally,  $\eta$  can also reflect risk aversion and the desire to smooth consumption over time.

The simple Ramsey rule (1) is used for project appraisal by a number of countries and organizations, including the Fifth Assessment Report of the IPCC<sup>38</sup>. However, the rule has various extensions that experts recommend<sup>24</sup>. A notable class of extensions relate explicit incorporations of risk and uncertainty<sup>15,56,63,64</sup>. Inspired by the finance literature, some of these approaches combine insights from asset pricing with climate economics and allow for differences in how much society is willing to substitute consumption risk across states of nature (risk aversion) compared to over time (inequality aversion). While noting these important extensions, we constrain ourselves to the welfare function used in the DICE model and solely perform parametric updates.

173

## 174 Further updates

175 We next make two further changes to align DICE with the larger scale models used to  
176 develop emission pathways that are assessed in terms of their likelihood to meet the 1.5°C  
177 and 2°C limits in the recent IPCC Special Report on 1.5°C<sup>2</sup>.


178 First, the original DICE model assumes an exogenous radiative forcing for non-CO<sub>2</sub>. This  
179 pathway for the non-CO<sub>2</sub> emissions is high compared to those generated by technology-rich  
180 IAMs reaching temperature targets in line with those in the Paris agreement<sup>65</sup>. We adjust  
181 DICE by taking the pathway for non-CO<sub>2</sub> forcings estimated by the REMIND integrated  
182 assessment model using the central Shared Socioeconomic Pathway (SSP2) that meets a  
183 radiative forcing level of 2.6 W/m<sup>2</sup> in 2100<sup>31</sup>. This higher abatement of non-CO<sub>2</sub> greenhouse  
184 gases makes even lower temperatures attainable. Among these paths we show that  
185 Nordhaus' view on discounting yields (using the updated DICE model) an optimal  
186 temperature increase of 2.0°C by 2100, and that reaching the 1.5°C climate target in 2100  
187 (with some temporary overshoot) would be optimal according to the median expert's view.  
188 In contrast, the median expert path would imply global warming of 1.8°C by 2100.

189 Second, we consider the role of negative emission technologies (NET). Nordhaus<sup>34</sup> only  
190 allows for net-negative CO<sub>2</sub> emissions after 2160, while Nordhaus<sup>1</sup> allows for the possibility  
191 of NETs within this century. Removing CO<sub>2</sub> from the atmosphere by Carbon Dioxide Removal  
192 technologies such as Biomass Energy with Carbon Capture and Storage (BECCS),  
193 afforestation, and Direct Air Capture have been suggested as a possible critical and cost-  
194 effective abatement option to limit climate change<sup>2,35,66-68</sup>. The timing of the availability of  
195 negative emissions technologies and their potential magnitude are under debate<sup>69,70</sup>, as well  
196 as their relation to the use of different discount rates<sup>71</sup>. Although we are aware of  
197 biophysical and socio-economic limits to all individual NETs, here we assume NET potentials  
198 by 2050 in line with the recent literature<sup>36,69</sup>. Feasibility will largely depend on reliable  
199 institutions, good governance and structured incentives across the innovation cycle as well  
200 as the implementation of a NET portfolio that overcomes the risk of relying on a single NET  
201 like BECCS<sup>32,69</sup>. The majority of emission pathways that stay below 2°C warming in the  
202 Working Group 3 of IPCC's Fifth Assessment Report<sup>32,33</sup> and the recent IPCC Special Report<sup>2</sup>  
203 have net negative CO<sub>2</sub> emissions during the second half of this century. We allow  
204 abatement of CO<sub>2</sub> to be at most 120% of the baseline emissions, as assumed by Nordhaus<sup>34</sup>,  
205 but allow for the possibility of net negative CO<sub>2</sub> emissions from mid-century onwards  
206 instead of from next mid-century. This update results in optimal negative emissions of 18  
207 GtCO<sub>2</sub> per year in 2100 at the lower 95% bound of expert recommendations on the social  
208 discount rate. The emission pathways that are assessed in the IPCC Special Report and that  
209 meet the 1.5°C level by 2100 have a median emission level of -12 GtCO<sub>2</sub> in 2100, with a  
210 lower 90% bound of -20 GtCO<sub>2</sub> per year as estimated from data available in the Integrated  
211 Assessment Modelling Consortium (IAMC) 1.5°C scenario explorer<sup>72</sup>. Allowing for NETs from



2050 lowers optimal temperatures but when introduced on top of our previously described changes to DICE, the effect on our two central runs is small: less than 0.1°C for both the median expert view and path.

Finally, DICE does not include constraints on the speed of emission reductions. Under Nordhaus<sup>34</sup> calibration this is not a concern since emission reductions occur relatively gradually. However, in our updated version of DICE, the optimal policy path displays very fast rates of emission reductions. Yet, there are practical limitations on how rapidly a transition to a decarbonized world economy can be implemented<sup>73</sup>. Typically, these restrictions are incorporated into an integrated assessment model either by imposing a cost on the adjustment pace<sup>74</sup>, or by technology inertia constraints<sup>75</sup>. We impose a set of constraints on the maximum rate of decarbonization. First, we set the starting emissions to 2020 levels. We also constrain the increase in emissions reductions between 2020 and 2045 to no more than 2 GtCO<sub>2</sub> per year. This constraint is consistent with the upper range of emission reductions used for assessing the 1.5°C and 2°C limits in Clarke et al.<sup>33</sup> and Rogelj et al.<sup>2</sup>. Finally, to avoid unrealistic emission reduction jumps for the period when negative emissions are feasible (2050 onwards), we limit the growth rate of the emissions reduction to 10% of the previous (5 year) period's emissions reduction. Fig. 1 summarizes the sequential updates within a schematic structure of the DICE integrated assessment model.



**Figure 1. Updates to the climate-economy DICE model.** A stylized schematic of the DICE integrated assessment model that highlights the seven updates we make to the standard DICE version (2016R2<sup>34</sup>). These are: (1) A carbon cycle based on the FAIR model<sup>29,30</sup>, (2) an update of the energy balance model<sup>37</sup>, (3) a revised economic damage estimate<sup>28</sup>, (4) a range of expert views on intergenerational welfare<sup>24</sup>, (5) non-CO<sub>2</sub> forcing in line with lower emission pathways<sup>31</sup>, (6) the earlier availability of negative emission technologies<sup>2</sup>, and (7) constraints on the maximum rate of

238 *decarbonization*<sup>2,33</sup>.

239


## 240 A central ground for climate policy

241 Fig. 2 summarizes the optimal climate policy paths taking all the above-described changes to  
242 DICE into account. Since individual disagreements on value judgments embodied in the  
243 discounting parameters may be largely irreducible<sup>76,77</sup>, we run the DICE model for each  
244 expert's view on the two discounting parameters to obtain 95<sup>th</sup> and 66<sup>th</sup> percentile ranges of  
245 optimal climate policy outcomes. Versions of Fig. 2 for each sequential stage of our  
246 adjustment to DICE are given in the Methods and Extended Data Fig. 5-9.

247 When expert views of the rate of pure time preference and inequality aversion<sup>24</sup> (Fig. 2A)  
248 are translated into global social cost of CO<sub>2</sub> emissions (SCC) in US\$ per ton of CO<sub>2</sub> (Fig. 2B),  
249 the highest SCC for 2020 in the 95 percentile range is \$520. By contrast, the lowest SCC in  
250 the 95-percentile range is \$17. Nordhaus' discounting parameters imply a SCC of \$82 in  
251 2020 in our updated DICE, which compares to a SCC of \$39 in the original DICE (see Fig. S1B  
252 in the additional Supplementary Information). By contrast, the median expert view  
253 translates into a SCC of \$208. The median path in turn results in a SCC of \$101. In sum, the  
254 social cost of carbon is at least twice as high as in the original DICE calibration.

255 There is a substantial range of resulting pathways of global fossil fuels related CO<sub>2</sub> emissions  
256 per year (Fig. 2C). In the central 66% range, the economy is decarbonized between 2055 and  
257 2100. Given Nordhaus' choice of discounting parameters, the economy would be  
258 decarbonized within this century, by 2090, while optimal decarbonization takes place by  
259 2065 with the median expert's view. The median path in turn results in decarbonization by  
260 2080.

261



262


263 **Figure 2. Climate policy pathways in the updated climate-economy model DICE.** A shows each  
 264 expert's value judgments on discounting parameters (rate of pure time preference; inequality  
 265 aversion;  $n = 173$ ). The triangle (1.5%; 1.45) indicates the choice of discount parameters by Nordhaus  
 266 (2018a) and the blue square (0.5%; 1) the median expert's view on intergenerational welfare. B-D  
 267 depict the 95 (grey-shaded area) and 66 (blue-shaded area) percentile ranges in terms of  
 268 intergenerational fairness for three climate policy measures: the social cost of CO<sub>2</sub> (in US\$ per ton),  
 269 industrial emissions (in gigatons of CO<sub>2</sub>) and global mean temperature increases from 1850-1900  
 270 levels (in degrees Celsius). These ranges do not correspond to confidence intervals relating to  
 271 uncertainty about forecasts, rather they capture how the disagreement about discounting  
 272 parameters affects the optimal paths when incorporated into our updated DICE model. B-D also  
 273 compare climate policy pathways implied by Nordhaus' discounting in this updated DICE (black line)  
 274 to those resulting from the median expert's view (blue line) and the median path (green line). While  
 275 Nordhaus' discounting implies an optimal carbon price of \$82 in 2020 in our updated DICE, the  
 276 median expert path (view) translates into a value of \$101 (\$208) in 2020.

277

278 It is important to recognize that with Nordhaus' discounting parameters we find a  
 279 temperature increase of only 2.0°C in this updated DICE model instead of 3.5°C in the  
 280 original DICE (Fig. 2D). The median expert view (median path) leads to an increase in  
 281 temperature of 1.4°C (1.8°C) by 2100, with a 66 percentile range of 1.2-2.2°C. Overall, given  
 282 the assumptions on the technological environment and climate constraints in the updated  
 283 DICE, 32% of all model runs resulting from the expert views on discounting parameters  
 284 would lead to an optimal policy that stays below 1.5°C in 2100, while 76% of all model runs

285 stay below 2°C in 2100. These findings suggest that there is support for the Paris climate  
 286 targets being “optimal” from a social welfare perspective.

287 Fig. 3 summarizes the consequences of each sequential model update reported in Fig. 2 on  
 288 the optimal climate policy paths. Views on discounting parameters translate into optimal  
 289 temperature change by 2100 (Fig. 3A), the timespan to full decarbonization (Fig. 3B), and  
 290 the SCC in 2020 (Fig. 3C) for each considered sequential model update to DICE.



291

292 **Figure 3. Effects of each sequential model update on optimal climate policy paths.** The 66  
 293 percentile range of expert’s recommendations on the pure rate of time preference and inequality  
 294 aversion translates into the optimal temperature change by 2100 from 1850-1900 levels (A), the  
 295 years to decarbonization (B) and the social cost of carbon in 2020 (C) for each sequential update to  
 296 DICE considered in this paper. Starting from the DICE 2016R2 baseline (B) we cumulatively add  
 297 changes to the DICE model. First, we change the carbon cycle (CC), then add the energy balance  
 298 model (EBM), third the temperature-damage relationship (D), fourth the exogenous path for non-CO<sub>2</sub>  
 299 forcing (nCO<sub>2</sub>), fifth the availability of negative emissions technologies (NET) and finally we add the  
 300 technologically feasible speed of decarbonisation (feas). For better visibility of the changes, we only  
 301 depict the 66 percentile ranges based on the different expert views on discounting parameters in the  
 302 boxplots (Extended Data Fig. 10 shows a box-and-whiskers plot with the 95 percentile ranges). The  
 303 triangle indicates the optimal path that is consistent with the Nordhaus<sup>34</sup> choice of discount  
 304 parameters, the blue square reflects the median expert’s view on intergenerational welfare, and the  
 305 green bar the median expert path.

306

307 Updating the carbon cycle model has mixed impacts on the temperature in 2100 depending  
 308 on the combination of discounting parameters: it increases optimal warming for the median  
 309 expert view and decreases it for Nordhaus’ parameter choices. For most discounting  
 310 parameter choices, the carbon cycle update reduces the SCC in 2020 and delays the date of  
 311 decarbonization. Recalibrating the energy balance model reduces the optimal temperature  
 312 increase by 2100 and prolongs the time until optimal decarbonization for all discounting  
 313 parameter combinations. This reduces the cost of emitting an additional ton of CO<sub>2</sub> into the  
 314 atmosphere for the current generation.

315 Updating economic damages increases the SCC in 2020, makes it optimal to decarbonize  
 316 earlier, and results in a lower temperature change by 2100. Introducing a lower non-CO<sub>2</sub>  
 317 forcing pathway leads to a further drop in optimal temperatures, increases the time to

318 decarbonization and reduces the SCC in 2020. Allowing for the availability of net negative  
319 emissions from 2050 leads to postponing emission reductions. This is consistent with the  
320 literature on larger scale integrated assessment models<sup>69</sup>.

321 In our model runs, negative emissions technologies shift the welfare costs of  
322 decarbonization to future generations while the associated temperature drop by 2100 is  
323 only minor. Adding the feasibility constraints leads to slight increases in the temperature in  
324 2100 and the time until decarbonization, but it only has a small impact on the SCC.

325 Each of the individual updates that we make to DICE has different impacts on the optimal  
326 path. The largest impact on the optimal temperature in 2100 and the SCC in the year 2020  
327 arises from the updates to the discounting parameters. The sensitivity to discounting  
328 assumptions exists irrespective of when they are introduced in the sequence of model  
329 updates, as is reflected in Fig. 3. The substantial vertical differences between the median  
330 experts' view and the Nordhaus choice at each cumulative update show how crucial it is to  
331 consider a more representative range of recommendations on intergenerational welfare to  
332 inform policy. In combination with discounting assumptions, updating damages also has a  
333 large effect on the SCC<sup>78</sup>. Specifically, updating the damage function more than doubles the  
334 SCC in 2020 to US\$ 289 compared to the previous step of updating the energy balance  
335 model. This impact would be even more pronounced had we used the damage functions  
336 with higher damage exponents or overall higher damages<sup>47,50,51,78</sup> (see Methods and Fig. S3  
337 in the additional Supplementary Information).

338 Finally, the carbon cycle and energy balance model, updated assumptions for non-CO<sub>2</sub>  
339 forcing, and negative emissions technologies each have two important effects on the  
340 optimal path. First, they contribute to a reduction in the optimal temperature. Second, they  
341 relax the pressure on current generations to rapidly decarbonize, thus postponing the date  
342 at which decarbonization occurs. This latter effect helps the economy to remain within a  
343 given temperature limit at lower welfare costs by allowing a smoother transition to  
344 decarbonization over time. These observations reflect well the way in which inter-temporal  
345 welfare trade-offs play out in economic appraisals of climate change. These two effects are  
346 also reflected in a SCC that falls with the carbon cycle and energy balance updates, and  
347 negative emissions technology, and rises with damage and social discounting updates.

348 Although we have made a number of modifications to DICE in this paper we have made a  
349 point of keeping the number of changes to a minimum. Indeed, there are many factors  
350 ignored in the analysis that should be part of a more comprehensive appraisal of climate  
351 policies. In addition to uncertainty, these include, tipping points, relative scarcity of non-  
352 market goods, climate-induced migration and consideration of a host of alternative ethical  
353 frameworks. In Box 2, we summarize a number of key limitations and potential extensions  
354 proposed in the literature. Likewise, an analysis of the political process of setting the UN  
355 climate targets themselves is outside the scope of this article.

356

## Box 2: Limitations and extensions of DICE

**Inequality and heterogeneity:** A crucial assumption of DICE is the use of a representative agent that maximizes global well-being. Thus our analysis ignores crucial aspects of heterogeneity relating, among others, to regional and sub-regional differences in preferences, income levels, adaptive capacity and damages. Nordhaus early on developed a regionalized version of DICE, called RICE<sup>79</sup>, which has subsequently been employed<sup>80</sup> and extended to a sub-regional level<sup>81</sup> to study the effect of inequality on climate policy measures. Furthermore, there are analytic models that deal with key heterogeneities<sup>82</sup>.

**Uncertainty:** While DICE is a deterministic model, the long-term future is inherently uncertain. This relates to processes governing economic development<sup>83</sup> and discount rates<sup>63,84</sup>, as well as to climate dynamics and climate damages<sup>12,14,15</sup>, including the location and extent of tipping points in coupled climate-society systems<sup>85,86</sup>. Thus, a more comprehensive economics assessment of climate change should consider various forms of uncertainty, ranging from standard risk to fundamental ignorance<sup>87</sup>. Besides applications of Monte-Carlo analyses in DICE<sup>6,34</sup>, stochastic computational or dynamic programming applications<sup>55,88,89</sup>, and analytic models<sup>49,54,90</sup> have already been employed.

**Climate damages:** DICE assumes a quadratic damage function of temperature increase on economic output, but a host of other functional forms of the damage function may be plausible. This includes variants with higher damage exponents, in line with the idea of potentially catastrophic climate damages<sup>12,91</sup>, or empirically estimated damage functions<sup>47</sup> and expert survey evidence<sup>49</sup> that points towards higher overall damages. However, damages from climate change not only hit output but also affect the capital stock and thus growth directly<sup>92-94</sup>. Finally, a considerable share of damages will affect goods and services that are not traded on markets, such as environmental amenities, biodiversity and coral reefs<sup>45</sup>. These damages to non-market goods—and their associated relative price changes—should be explicitly modeled and can substantially impact optimal climate policy<sup>16,17</sup>.

**Endogenous growth:** DICE assumes an exogenous decline in technological progress, yet much of modern growth theory is concerned with endogenous channels of growth<sup>95-99</sup>. Furthermore, endogenous population change will likely not only impact resource demand but also affect innovation<sup>100,101</sup>.

**Abatement cost function:** The abatement function in DICE is calibrated to smooth reduction rates. However, with faster rates of reduction, several non-equilibrium phenomena could make the reductions more costly, e.g., through increasing levels of unemployment in certain regions. In addition, if the global efforts to reduce emissions are poorly coordinated, as is the case now, with certain regions paying much higher attention to the problem, then costs might also be higher than what would be the case under perfect coordination<sup>74,102</sup>. On the other hand, scale effects and technical progress can considerably reduce abatement costs as witnessed in renewables such as solar and wind in recent years. Relatedly, the marginal abatement costs curve assumed in DICE could also be made endogenous, such as to feature learning-by-doing dynamics<sup>103</sup>.

**Alternative ethical frameworks:** DICE builds on the standard consequentialist Discounted Utilitarian welfare function that still forms the workhorse model of the economic analysis of climate policy. However, the literature has proposed and applied numerous alternative ethical approaches<sup>22,104</sup>. Alternative welfare criteria include, among others, Sustainable Discounted Utilitarianism<sup>105,106</sup>, Rank-Discounted Utilitarianism<sup>107</sup>, and Prioritarianism<sup>21</sup>.

## 400 Conclusion

401 We used recent findings from the literature to update several key parameters of the  
402 prominent DICE model developed by Nobel Laureate William Nordhaus. Our updated DICE  
403 model is in line with the higher Paris temperature target, with an optimal temperature  
404 increase of 2.0°C by 2100, even with Nordhaus' assumptions on discounting<sup>1,34</sup>, and  
405 otherwise well below 2°C towards 1.5°C. Of course, the basic DICE model is deterministic.  
406 Under uncertainty, to ensure the maximum temperature increase is less than 2°C in 2100, or  
407 indeed to hit the lower 1.5°C UN Target, with any degree of certainty (e.g. in 95% of cases)  
408 would require more stringent mitigation policies than the central, deterministic case  
409 presented here.

410 Even if the UN Paris Agreement is attainable, intergenerationally fair and economically  
411 optimal in our updated version of DICE, it is also necessary to consider the political  
412 feasibility of meeting these stringent climate targets. One way to assess this is to investigate  
413 the level of the optimal price of CO<sub>2</sub> and the speed of decarbonization. The mitigation  
414 policies that can be pursued in practice are likely to be constrained in these dimensions, as  
415 recently witnessed in response to the imposition of carbon taxes in Canada and France in  
416 2018-19. While the median expert path implies a carbon price of around US\$ 100 in 2020  
417 and zero emissions in 2080, the median expert's view results in an optimal CO<sub>2</sub> price of just  
418 above US\$ 200 per ton in 2020 and complete global decarbonization by 2065. This contrasts  
419 with a carbon price of around US\$80 that results from the discounting parameters of  
420 Nordhaus<sup>1,34</sup> in our updated model and a carbon price of around US\$ 40 in Nordhaus'  
421 original DICE calibration. Thus, carbon prices resulting from the majority of expert views in  
422 our updated DICE model are considerably higher than what is being implemented in most  
423 sectors even in the most ambitious regions of the world. However, it is within the range of  
424 what is currently used in governmental guidance for Cost Benefit Analysis, such as in  
425 Germany where a SCC of around \$200<sup>108</sup> is used, or implemented as actual or effective  
426 carbon taxes in certain sectors in many European countries such as the Netherlands,  
427 Sweden and Switzerland<sup>109</sup>. It should also be recognized that total current taxes on gasoline  
428 in Europe can amount to effective taxes that far exceed our two median cases, with more  
429 than \$400 per ton of CO<sub>2</sub> in Germany, for instance<sup>110</sup>. Although they are not labelled carbon  
430 taxes, these policies provide some perspective on what could be possible.

431 Yet these countries are the exception and make up a small part of the global economy.  
432 Furthermore, while carbon pricing is key to achieving the range of optimal climate targets  
433 we present, there are major obstacles to such policy. First, there is lobbying by powerful and  
434 concentrated industries. Second, there is fear of reduced competitiveness. Naturally, this is  
435 mitigated if the policies are global but the fear nevertheless highlights a difficult issue of  
436 policy coordination between nations. A third obstacle is the perception that carbon taxes  
437 hurt the poor disproportionately<sup>111</sup>. It is often argued that distributional concerns are a chief  
438 source of resistance from significant shares of the electorate. Yet, the regressive nature of

439 carbon taxes is often exaggerated and in fact, fuel taxes are often progressive in low-income  
440 countries where only the very richest have vehicles and air conditioning<sup>112</sup>. Yet distributional  
441 concerns may still be real in many contexts and considerable thought will have to go into  
442 the design and implementation of carbon pricing in order to mitigate these widely held  
443 political economy concerns<sup>113,114</sup>. Perhaps one of the chief obstacles to policy stems from a  
444 straightforward resistance to higher prices. In aviation, for instance, long-haul flights may  
445 double in price if a carbon tax of \$300 per ton of CO<sub>2</sub> were levied.

446 The UN Paris Agreement is an expression of the international view that rapid action is  
447 necessary to limit the damages caused by climate change. The IPCC Special Report on the  
448 1.5°C target<sup>36</sup> then illustrated the measures required to meet the agreed limit of 1.5°C. In  
449 this Analysis, we have shown that the benefits of limiting global warming to (well) below 2°C  
450 outweigh the costs of doing so when considering updates to the most standard and  
451 influential economic cost-benefit framework for climate change appraisal: Nordhaus' DICE  
452 model. Our results suggest that there is no inherent disparity between the UN climate  
453 targets and the principle of economic optimality. Nevertheless, enacting ambitious policies  
454 remains a key challenge.

455



## 456 Acknowledgements

457 We are grateful to Geir Asheim, Pierre Courtois, Maureen Cropper, Florian Diekert, Simon  
458 Dietz, Paul Ferraro, Dustin Garrick, Timo Goeschl, Christian Gollier, Andy Gouldson, Bård  
459 Harstad, Cameron Hepburn, Helge Holtermann, Matthew Kotchen, Stephan Lewandowsky,  
460 Jochem Marotzke, Karine Nyborg, Brian O'Neill, Grischa Perino, Martin Persson, Billy Pizer,  
461 Wilfried Rickels, Marie-Catherine Riekhof, Christian Traeger, Martin Weitzman, Sonia Yeh  
462 for helpful discussions, and to Alexander Mahler for research assistance. The views  
463 expressed in this paper are those of the authors alone. M.D.'s research has been supported  
464 by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) under  
465 Germany's Excellence Strategy – EXC 2037 'CLICCS - Climate, Climatic Change, and Society'–  
466 Project Number: 390683824, contribution to the Center for Earth System Research and  
467 Sustainability (CEN) of Universität Hamburg. F.N. is grateful for financial support from CREE  
468 – Oslo Centre for Research on Environmentally friendly Energy (Norwegian Research Council  
469 209698) and NATCOOP – How Nature Affects Cooperation in Common Pool Resource  
470 Systems (European Research Council 678049). C.A. is grateful for financial support from Carl  
471 Bennet AB Foundation. T.S. and D.J.A.J. acknowledge support from MISTRA Carbon Exit and  
472 T.S also the Biodiversity and Ecosystem services in a Changing Climate - consortium.

473

## 474 Author contributions

475 M.A.D., M.C.F., B.G., M.C.H. and F.N. conceived a study on DICE focusing on the role of  
476 discounting and the damage function which was merged with parallel work on the role of  
477 the carbon cycle, the energy balance model and non-CO<sub>2</sub> forcings in DICE developed by C.A.  
478 and D.J.A.J., at a workshop organized by T.S. in Gothenburg; M.C.H. performed the  
479 numerical modeling, data analysis and graphical representation of results with substantive  
480 input from D.J.A.J. and close feedback from M.A.D. and F.N.; the writing of the manuscript  
481 was led by M.A.D., B.G., M.C.H. and F.N. with significant input from all other authors.

482

483 Authors declare no competing interests.

## 484 **Data Availability Statement**

485 The data that support the plots within this paper and other findings of this study are  
486 available in the Source Data files.

## 487 **Code Availability Statement**

488 All code used in to produce the analysis is available at the following repository:  
489 <https://www.openicpsr.org/openicpsr/project/119395/version/V1/view/> under a creative  
490 commons 4.0 license. Details of implementation can be found in the Supplementary  
491 Information files.

492

493 References:

494

- 495 1. Nordhaus, W. Climate change: The ultimate challenge for Economics. *American*  
496 *Economic Review* **109**, 1991-2014 (2019).
- 497 2. Rogelj, J. et al. *Global Warming of 1.5°C. An IPCC Special Report on the impacts of*  
498 *global warming of 1.5°C above pre-industrial levels and related global greenhouse*  
499 *gas emission pathways, in the context of strengthening the global response to the*  
500 *threat of climate change, sustainable development, and efforts to eradicate poverty*  
501 (eds Masson-Delmotte, V., et al.) 93-174 (In Press, 2018a).
- 502 3. UNEP. *Emissions Gap Report 2019*. (United Nations Environment Programme,  
503 2019)
- 504 4. Nordhaus, W. An optimal transition path for controlling greenhouse gases. *Science*  
505 **258**, 1315-131 (1992).
- 506 5. Nordhaus, W. Evolution of modeling of the economics of global warming: Changes  
507 in the DICE model, 1992–2017. *Climatic Change* **4**, 623-640 (2018b).
- 508 6. Dietz, S. & Stern, N. Endogenous growth, convexity of damage and climate risk:  
509 How Nordhaus' framework supports deep cuts in carbon emissions. *The Economic*  
510 *Journal* **125**, 574-620 (2015).
- 511 7. Obama, B. The irreversible momentum of clean energy. *Science* **355**, 126-129  
512 (2017).
- 513 8. Barrage, L. The Nobel Memorial Prize for William D. Nordhaus. *Scandinavian*  
514 *Journal of Economics* **121**, 884-924 (2019).
- 515 9. Cline W.R. *The Economics of Global Warming*. (Peterson Institute for International  
516 Economics, 1992).
- 517 10. Azar, C. & Sterner, T. Discounting and distributional considerations in the context  
518 of global warming. *Ecological Economics* **19**, 169-184 (1996).
- 519 11. Stern, N. *The Economics of Climate Change: The Stern Review*. (Cambridge  
520 University Press, 2007).
- 521 12. Weitzman, M. On modeling and interpreting the economics of catastrophic climate  
522 change, *The Review of Economics and Statistics* **91**, 1-19 (2009).
- 523 13. Millner, A. On welfare frameworks and catastrophic climate risks. *Journal of*  
524 *Environmental Economics and Management* **65**, 310-325 (2013).
- 525 14. Crost, B. & Traeger, C. P. Optimal CO<sub>2</sub> mitigation under damage risk valuation.  
526 *Nature Climate Change* **4**, 631 (2014).
- 527 15. Daniel, K.D., Litterman, R. B. & Wagner, G. Declining CO<sub>2</sub> price paths.  
528 *Proceedings of the National Academy of Sciences* **116**(42), 20886-20891 (2019).

- 529 16. Sterner, T. & Persson, M. An Even Sterner Review: Introducing Relative Prices into  
530 the Discounting Debate. *Review of Environmental Economics and Policy* **2**, 61-76  
531 (2008).
- 532 17. Drupp, M. A. & Hänsel, M. C. Relative Prices and Climate Policy: How the Scarcity  
533 of Non-market Goods drives Policy Evaluation. *American Economic Journal:*  
534 *Economic Policy*, forthcoming, 2020.
- 535 18. Joos, F., Muller-Furstenberger, G. & Stephan, G. Correcting the carbon cycle  
536 representation: How important is it for the economics of climate change?  
537 *Environmental Modeling and Assessment* **4**, 133–140 (1999).
- 538 19. Glotter, M. J., Pierrehumbert, R. T., Elliott, J. W., Matteson, N. J. & Moyer, E. J. A  
539 simple carbon cycle representation for economic and policy analyses, *Climatic*  
540 *Change* **126**, 319–335 (2014).
- 541 20. Mattauch, L., Matthews, H. D., Millar, R., Rezai, A., Solomon, S., & Venmans, F.  
542 Steering the climate system: Comment. *American Economic Review*, **110**(4), 1231-  
543 1237 (2020).
- 544 21. Adler, M., Anthoff, D., Bosetti, V., Garner, G., Keller, K., & Treich, N. (2017).  
545 Priority for the worse-off and the social cost of carbon. *Nature Climate Change*,  
546 **7**(6), 443-449.
- 547 22. Botzen, W. W & van den Bergh, J. C. Specifications of social welfare in economic  
548 studies of climate policy: Overview of criteria and related policy insights.  
549 *Environmental and Resource Economics* **58**, 1-33 (2014).
- 550 23. Asheim, G. B. & Nesje, F. Destructive intergenerational altruism. *Journal of the*  
551 *Association of Environmental and Resource Economists*, **3**(4), 957-998 (2019).
- 552 24. Drupp, M. A., Freeman, M. C., Groom, B. & Nesje, F. Discounting Disentangled.  
553 *American Economic Journal: Economic Policy* **10**, 109-134 (2018).
- 554 25. Azar, C. Are optimal emissions really optimal? — Four critical issues for  
555 economists in the greenhouse. *Environmental and Resource Economics* **11**, 301-315  
556 (1998).
- 557 26. Heal, G. The economics of the climate. *Journal of Economic Literature* **55**, 1046-  
558 1063 (2017).
- 559 27. Pindyck, R. S. Climate change policy: what do the models tell us? *Journal of*  
560 *Economic Literature* **51**, 860-72 (2013).
- 561 28. Howard, P. H. & Sterner, T. Few and not so far between: a meta-analysis of climate  
562 damage estimates. *Environmental and Resource Economics* **68**, 197-225 (2017).
- 563 29. Millar, R. J., Nicholls, Z. R., Friedlingstein, P. & Allen, M. R. A modified impulse-  
564 response representation of the global near-surface air temperature and atmospheric  
565 concentration response to carbon dioxide emissions. *Atmospheric Chemistry and*  
566 *Physics* **17**, 7213-7228 (2017).

- 567 30. Smith, C. J., Forster, P. M., Allen, M., Leach, N., Millar, R. J., Passerello, G. A. &  
568 Regayre, L. A. FAIR v1.3: A simple emissions-based impulse response and carbon  
569 cycle model. *Geoscientific Model Development* **11**, 2273-2297 (2018).
- 570 31. Riahi, K. et al. The Shared Socioeconomic Pathways and their energy, land use, and  
571 greenhouse gas emissions implications: An overview. *Global Environmental*  
572 *Change* **42**, 153-168 (2017).
- 573 32. Anderson, K. & Peters, G. The trouble with negative emissions. *Science* **354**, 182-  
574 183 (2017).
- 575 33. Clarke, L. et al. in *Climate Change 2014: Mitigation of Climate Change.*  
576 *Contribution of Working Group III to the Fifth Assessment Report of the*  
577 *Intergovernmental Panel on Climate Change* (eds Edenhofer, O. et al.) 413-510  
578 (Cambridge University Press, 2014).
- 579 34. Nordhaus, W. Projections and uncertainties about climate change in an era of  
580 minimal climate policies. *American Economic Journal: Economic Policy* **10**, 333-  
581 336 (2018a).
- 582 35. Rickels, W., Reith, F., Keller, D., Oschlies, A. & M. Quaas. Integrated Assessment  
583 of Carbon Dioxide Removal. *Earth's Future* **6**: 565–582 (2018).
- 584 36. IPCC. *Global Warming of 1.5°C* (Intergovernmental Panel on Climate Change,  
585 2018).
- 586 37. Geoffroy, O., Saint-Martin, D., Olivié, D. J., Voldoire, A., Bellon, G. & Tytéca, S.  
587 Transient climate response in a two-layer energy-balance model. Part I: Analytical  
588 solution and parameter calibration using CMIP5 AOGCM experiments. *Journal of*  
589 *Climate* **26**, 1841-1857 (2013).
- 590 38. IPCC. *Fifth Assessment Report* (Intergovernmental Panel on Climate Change, 2014).
- 591 39. Collins, M. et al. in: *Climate Change 2013: The Physical Science Basis.*  
592 *Contribution of Working Group I to the Fifth Assessment Report of the*  
593 *Intergovernmental Panel on Climate Change* (eds Stocker, T. F. et al.) 1029-1136  
594 (Cambridge University Press, 2013).
- 595 40. Knutti, R., Rugenstein, M. A. A. & Hegerl, G. C. Beyond equilibrium climate  
596 sensitivity. *Nature Geoscience* **10**, 727–736 (2017).
- 597 41. Allen, M. R. et al. in *Global Warming of 1.5°C. An IPCC Special Report on the*  
598 *Impacts of Global Warming of 1.5°C Above Pre-Industrial Levels and Related*  
599 *Global Greenhouse Gas Emission Pathways, in the Context of Strengthening the*  
600 *Global Response to the Threat of Climate Change, Sustainable Development, and*  
601 *Efforts to Eradicate Poverty* (eds Masson-Delmotte, V. et al.) (in press, 2018).
- 602 42. Nordhaus W. To slow or not to slow: The economics of the greenhouse effect.  
603 *Economic Journal* **101**, 920-937 (1991).

- 604 43. Tol, R. The economic effects of climate change. *Journal of Economic Perspectives*  
605 **23**, 29-51 (2009).
- 606 44. Tol, R. Correction and update: The economic effects of climate change. *Journal of*  
607 *Economic Perspectives* **28**, 221-226 (2014).
- 608 45. Auffhammer, M. Quantifying economic damages from climate change. *Journal of*  
609 *Economic Perspectives*, **32**(4), 33-52 (2018).
- 610 46. Nordhaus, W. & Moffat, A. *A Survey of Global Impacts of Climate Change:*  
611 *Replication, Survey Methods, and a Statistical Analysis*. NBER Working Paper No.  
612 23646 (National Bureau of Economic Research, 2017).
- 613 47. Burke, M., Hsiang, S. M. & Miguel, E. Global non-linear effect of temperature on  
614 economic production. *Nature* **527**, 235-239 (2015).
- 615 48. Howard, P. H. & Sylvan, D. The economic climate: Establishing expert consensus  
616 on the economics of climate change. *Institute for Policy Integrity*, 438-441 (2015).
- 617 49. Pindyck, R. S. The social cost of carbon revisited. *Journal of Environmental*  
618 *Economics and Management* **94**, 140-160 (2019).
- 619 50. Weitzman, M. L. (2012). GHG targets as insurance against catastrophic climate  
620 damages. *Journal of Public Economic Theory*, **14**(2), 221-244.
- 621 51. Glanemann, N., Willner, S. N., & Levermann, A.. Paris Climate Agreement passes  
622 the cost-benefit test. *Nature Communications*, **11**(1), 1-11 (2020).
- 623 52. Nordhaus, W. A review of the Stern Review on the Economics of Climate Change.  
624 *Journal of Economic Literature* **45**, 686-702 (2007).
- 625 53. Arrow, K. et al. Determining benefits and costs for future generations. *Science* **341**,  
626 349-350 (2013).
- 627 54. Traeger, C. P. Analytic integrated assessment and uncertainty. *SSRN Working Paper*  
628 2667972 (2015).
- 629 55. Cai, Y., & Lontzek, T. S. (2019). The social cost of carbon with economic and  
630 climate risks. *Journal of Political Economy*, **127**(6), 2684-2734.
- 631 56. Kelleher, J. P. & Wagner, G. Prescriptivism, risk aversion, and intertemporal  
632 substitution in climate economics. *Annals of Economics and Statistics* **132**, 129-149  
633 (2018).
- 634 57. Nordhaus, W. *A Question of Balance: Weighing the Options on Global Warming*  
635 *Policies*. (Yale University Press, 2008).
- 636 58. Downs, A. An economic theory of political action in a democracy. *Journal of*  
637 *Political Economy* **65**, 135-150 (1957).
- 638 59. Shepsle, K. A. Institutional arrangements and equilibrium in multidimensional  
639 voting models. *American Journal of Political Science* **23**, 27-59 (1979).

- 640 60. Persson, T. & Tabellini, G. *Political Economics: Explaining Economic Policy*. (MIT  
641 Press, 2002).
- 642 61. Arrow, K. in *Discounting and Intragenerational Equity* (eds Portney, P. R. &  
643 Weyant, J. P.) 13–21 (Resources for the Future, 1999).
- 644 62. Groom, B. & Maddison, D. New estimates of the elasticity of marginal utility for the  
645 UK. *Environmental and Resource Economics* **72**, 1155-1182 (2018).
- 646 63. Gollier, C. *Pricing the Future: The Economics of Discounting in an Uncertain*  
647 *World* (Princeton University Press, 2012).
- 648 64. Traeger, C. P. Analytic integrated assessment and uncertainty. *SSRN Working Paper*  
649 *2667972* (2015).
- 650 65. Su, X., Takahashi, K., Fujimori, S., Hasegawa, T., Tanaka, K., Kato, E., Shiogama,  
651 H, Masui, T. & Emori, S. Emission pathways to achieve 2.0°C and 1.5°C climate  
652 targets. *Earth's Future*, **5**(6), 592-604 (2017).
- 653 66. Azar, C., Lindgren, K., Larson, E. & Möllersten, K. Carbon capture and storage  
654 from fossil fuels and biomass—Costs and potential role in stabilizing the atmosphere.  
655 *Climatic Change* **74**, 47-79 (2006).
- 656 67. Azar, C., Johansson, D. J. A. & Mattsson, N. Meeting global temperature targets—  
657 the role of bioenergy with carbon capture and storage. *Environmental Research*  
658 *Letters* **8**, 034004 (2013).
- 659 68. Bauer N. et al. Global energy sector emission reductions and bioenergy use:  
660 overview of the bioenergy demand phase of the EMF-33 model comparison.  
661 *Climatic Change*, published as First Online (2018).
- 662 69. Minx, J.C. et al. Negative emissions—Part 1: Research landscape and synthesis.  
663 *Environ. Res. Lett.* **13** (6), 063001 (2018).
- 664 70. Fuss, S. et al. Negative emissions—Part 2: Costs, potentials and side effects.  
665 *Environmental Research Letters* **13** (6), 63002 (2018).
- 666 71. Emmerling, Johannes; Drouet, Laurent; van der Wijst, Kaj-Ivar; van Vuuren, Detlef;  
667 Bosetti, Valentina; Tavoni, Massimo. The role of the discount rate for emission  
668 pathways and negative emissions. *Environ. Res. Lett.* **14** (10), 104008. DOI:  
669 10.1088/1748-9326/ab3cc9.
- 670 72. Huppmann, D. et al. *IAMC 1.5°C Scenario Explorer and Data hosted by IIASA*.  
671 (Integrated Assessment Modeling Consortium & International Institute for Applied  
672 Systems Analysis, 2019).
- 673 73. Wilson, C. Up-scaling, formative phases, and learning in the historical diffusion of  
674 energy technologies. *Energy Policy* **50**, 81-94 (2012).
- 675 74. Ha-Duong M., Grubb, M. J. & Hourcade, J.-C. Influence of socioeconomic inertia  
676 and uncertainty on optimal CO<sub>2</sub>-emission abatement. *Nature* **390**, 270–273 (1997).

- 677 75. Tanaka, K. & O'Neill, B. C. The Paris Agreement zero-emissions goal is not always  
678 consistent with the 1.5°C and 2°C temperature targets. *Nature Climate Change* **8**,  
679 319–324 (2018).
- 680 76. Freeman, M. C. & Groom, B. Positively gamma discounting: Combining the  
681 opinions of experts on the social discount rate. *Economic Journal* **125**, 1015-1024  
682 (2015).
- 683 77. Heal, G. M. & Millner, A. Agreeing to disagree on climate policy. *Proceedings of*  
684 *the National Academy of Sciences* **111**, 3695-3698 (2014).
- 685 78. Ricke, K., Drouet, L., Caldeira, K., & Tavoni, M. (2018). Country-level social cost  
686 of carbon. *Nature Climate Change*, **8**(10), 895-900.
- 687 79. Nordhaus, W. D., & Yang, Z. A regional dynamic general-equilibrium model of  
688 alternative climate-change strategies. *American Economic Review*, **86**(4), 741-765  
689 (1996).
- 690 80. Anthoff, D., & Emmerling, J. Inequality and the social cost of carbon. *Journal of the*  
691 *Association of Environmental and Resource Economists*, **6**(2), 243-273 (2019).
- 692 81. Dennig, F., Budolfson, M. B., Fleurbaey, M., Siebert, A. & Socolow, R. H.  
693 Inequality, climate impacts on the future poor, and carbon prices. *Proceedings of the*  
694 *National Academy of Sciences* **112**, 15827-15832 (2015).
- 695 82. Borissov, K. & L. Bretschger (2018): Optimal Carbon Policies in a Dynamic  
696 Heterogenous World, Economics Working Paper Series 18/297, ETH Zurich.
- 697 83. Jensen, S. & Traeger, C. P. Optimal climate change mitigation under long-term  
698 growth uncertainty: Stochastic integrated assessment and analytic findings.  
699 *European Economic Review* **69**, 104-125 (2014).
- 700 84. Weitzman, M. L. (1998). Why the far-distant future should be discounted at its  
701 lowest possible rate. *Journal of environmental economics and management*, **36**(3),  
702 201-208
- 703 85. Cai, Y., Lenton, T. M. & Lontzek, T. S. Risk of multiple interacting tipping points  
704 should encourage rapid CO<sub>2</sub> emission reduction. *Nature Climate Change* **6**, 520  
705 (2016).
- 706 86. Lemoine, D. & Traeger, C. P. Economics of tipping the climate dominoes. *Nature*  
707 *Climate Change* **6**, 514 (2016).
- 708 87. Faber, M., Manstetten, R., & Proops, J. L. Humankind and the environment: an  
709 anatomy of surprise and ignorance. *Environmental values*, **1**(3), 217-241 (1992).
- 710 88. Kelly, D. L., & Kolstad, C. D. Bayesian learning, growth, and pollution. *Journal of*  
711 *economic dynamics and control*, **23**(4), 491-518 (1999).
- 712 89. Traeger, C. P. A 4-stated DICE: Quantitatively addressing uncertainty effects in  
713 climate change. *Environmental and Resource Economics*, **59**(1), 1-37 (2014).

- 714 90. Bretschger, L. & Vinogradova, A. Best policy response to environmental shocks:  
715 Building a stochastic framework. *Journal of Environmental Economics and*  
716 *Management* **97**, 23-41 (2019).
- 717 91. Azar, C & Lindgren, K. Catastrophic events and stochastic cost-benefit analysis of  
718 climate change. *Climatic Change* **56**(3), 245-255 (2003)
- 719 92. Bretschger, L. & Karydas, C. Optimum growth and carbon policies with lags in the  
720 climate system. *Environmental and Resource Economics* **70**(4), 807-834 (2018).
- 721 93. Bretschger, L. & Pattakou, A. As bad as it gets: How climate damage functions  
722 affect growth and the social cost of carbon. *Environmental and Resource Economics*  
723 **72**(1), 5-26 (2019).
- 724 94. Moore, F.C. & Diaz, D.B. Temperature impacts on economic growth warrant  
725 stringent mitigation policy. *Nature Climate Change* **5**, 127-131 (2015).
- 726 95. Romer, P.M. Endogenous technological change. *Journal of Political Economy* **98**(5,  
727 Part 2): S71-S102 (1990).
- 728 96. Smulders, S. & de Nooij, M. The impact of energy conservation on technology and  
729 economic growth. *Resource and Energy Economics* **25**, 59-79 (2003).
- 730 97. Bosetti, V., Carraro, C., Galeotti, M., Massetti, E. & Tavoni M. WITCH: A world  
731 induced technical change hybrid model. *Energy Journal* Special Issue. Hybrid  
732 Modeling of Energy Environment Policies: Reconciling Bottom-up and Top-down,  
733 13-38 (2006).
- 734 98. Acemoglu, D., Aghion, P., Bursztyn, L. & Hemous, D. The environment and  
735 directed technical change. *American Economic Review* **102**(1), 131-166 (2012).
- 736 99. Bretschger, L. & Karydas, C. Economics of climate change: Introducing the basic  
737 climate economic (BCE) model. *Environment and Development Economics* **24**(6),  
738 560-582 (2019).
- 739 100. Kremer, M. Population growth and technological change: One million B.C. to 1990.  
740 *Quarterly Journal of Economics* **108**(3), 681-716 (1993).
- 741 101. Peretto, P. & Valente, S. Growth on a finite planet: resources, technology and  
742 population in the long run. *Journal of Economic Growth* **20**(3), 305-331 (2015).
- 743 102. Nordhaus, W. Climate Clubs: Overcoming Free-Riding in International Climate  
744 Policy. *American Economic Review* **105**, 1339-70 (2015).
- 745 103. Gillingham, K. & Stock, J. The costs of reducing greenhouse gas emissions. *Journal*  
746 *of Economic Perspectives* **32**(5), 1-20 (2018).
- 747 104. Asheim, G. B. Intergenerational equity. *Annual Review of Economics* **2**, 197-222  
748 (2010).
- 749 105. Asheim, G. B. & Mitra, T. Sustainability and discounted utilitarianism in models of  
750 economic growth. *Mathematical Social Sciences* **59**, 148-169 (2010).



- 751 106. Asheim, G. B. & Dietz, S. Climate policy under sustainable discounted  
752 utilitarianism. *Journal of Environmental Economics and Management* **63**, 321-335  
753 (2012)
- 754 107. Zuber, S. & Asheim, G.B. Justifying social discounting: The rank-discounted  
755 utilitarian approach. *Journal of Economic Theory* **147**, 1572-1601 (2012).
- 756 108. UBA. Methodenkonvention 3.0 zur Ermittlung von Umweltkosten. Kostensätze.  
757 Umweltbundesamt, Dessau-Roßlau (Bünger, B. & Matthey, A. for the German  
758 Environmental Protection Agency, Umweltbundesamt, 2018).
- 759 109. OECD. *Effective Carbon Rates 2018: Pricing Carbon Emissions Through Taxes and*  
760 *Emissions Trading*. (OECD Publishing, 2018).
- 761 110. Schmidt, U., Rickels, W. & Felbermayr, G. CO<sub>2</sub>-Bepreisung in Deutschland:  
762 Implizite CO<sub>2</sub>-Preise müssen berücksichtigt und angeglichen anwerden. *IfW Kiel*  
763 *Focus* 09 (2019).
- 764 111. Fullerton, D. & Muehlegger, E. *Review of Environmental Economics and Policy*,  
765 **13**(1), 62–82 (2019).
- 766 112. Sterner, T. *Fuel Taxes and the Poor: The distributional consequences of gasoline*  
767 *taxation and their implications for climate policy*. (Routledge, 2012).
- 768 113. Carattini, S., Kallbekken, S. & Orlov, A. How to win public support for a global  
769 carbon tax. *Nature* **565**, 289-291 (2019).
- 770 114. Klenert, D. et al. Making carbon pricing work for citizens. *Nature Climate Change*  
771 **8**, 669-677 (2018).
- 772
- 773
- 774
- 775
- 776
- 777
- 778
- 779
- 780
- 781
- 782
- 783
- 784

785

786

787

788

## 789 Methods

790 The DICE 2016R2 model is presented in detail in Nordhaus<sup>34</sup>. We implement DICE with the  
791 AMPL optimization software and use the Knitro solver (version 10.2) to obtain the numerical  
792 dynamic optimization results presented in this paper. Note that since we use a different  
793 numerical optimization solver and modeling language than Nordhaus<sup>34</sup>, our numerical  
794 results differ slightly. We provide the programming code and data in separate files. To ease  
795 comparability to Nordhaus<sup>1,34</sup> figures, we present industrial emissions, the social cost of  
796 carbon and temperature increases only until the year 2100, while the optimization runs  
797 extend until 2500, as in DICE.

798 Here we provide a more detailed account of the calibration of the updated DICE model. We  
799 do so by first presenting results of the baseline DICE 2016R2 of Nordhaus<sup>34</sup>. In a second step  
800 we summarize the updates to key climate and economics-related functional forms and  
801 parameters leading to the final model specification presented in the main text. The resulting  
802 climate policy paths that we present in Fig. 2 of the main text are framed in terms of what is  
803 intergenerationally optimal as reflected by value judgments on the rate of pure time  
804 preference and inequality aversion. Thus, we also offer a more detailed perspective on the  
805 diverging views on discounting parameters, one of the key sensitivities in the economic  
806 analysis of climate change. As a third step we analyze how each of the updates subsequently  
807 affect climate policy paths for (i) Nordhaus' choice of discounting parameters, (ii) the  
808 median expert's choice of discounting parameters, (iii) the median path, and for the 95 and  
809 66 percentile ranges resulting from different expert views on intergenerational optimality.

810 Nordhaus<sup>34</sup> baseline calibration is the starting point of our analysis. The resulting pathway  
811 for the social cost of CO<sub>2</sub>, starting at 39 US\$ in 2020 and rising to 296 US\$ per ton of CO<sub>2</sub>,  
812 lies within the politically discussed range for carbon prices. Both the optimal date of  
813 decarbonization in the next century and the optimal atmospheric temperature change of  
814 3.5°C by 2100, rising to 4°C in the middle of the next century are far outside climate policy  
815 pathways that are consistent with the UN temperature limits of 2°C and 1.5°C. We provide  
816 detailed results of Nordhaus<sup>34</sup> baseline calibration in Fig. S1 of the additional Supporting  
817 Information.

818 We argue that the following adjustments from more recent climate and economics research  
819 closes the gap between Nordhaus' calibration of DICE2016R2 and the Paris Agreement.

820

## 821 **Carbon cycle**

822 Nordhaus<sup>34</sup> writes that the 2016 version of DICE *"incorporates new research on the carbon*  
823 *cycle. Earlier versions of the DICE model were calibrated to fit the short-run carbon cycle*  
824 *(primarily the first 100 years). Because the new model is in part designed to calculate long-*  
825 *run trends, such as the impacts on the melting of large ice sheets, it was decided to change*  
826 *the calibration to fit the atmospheric retention of CO<sub>2</sub> for periods up to 4,000 years. Based*

on studies of Archer et al.<sup>115</sup>, the 2016 version of the three-box model does a much better job of simulating the long-run behavior of larger models with full ocean chemistry. This change has a major impact on the long-run carbon concentrations.” While this is an improvement over previous DICE versions, it does not take into account non-linearities in the carbon cycle. This is important since the fraction of a CO<sub>2</sub> emissions pulse that stays in the atmosphere at any point in time in the future depends on the past cumulative emissions of CO<sub>2</sub>. Roughly the larger the cumulative emissions, the larger the fraction that remains<sup>115-117</sup>. Although Nordhaus does not explicitly describe which model experiment in Archer et al.<sup>115</sup> he uses for calibrating the box model in DICE, it appears from numerical comparison of the carbon cycle impulse response in DICE with those impulse responses presented in Archer et al.<sup>115</sup> that the calibration is based on an impulse size of 5000 GtC. That is roughly a factor five larger the amount of cumulative CO<sub>2</sub> emissions that are compatible with the targets in the Paris Agreement. Hence, given the non-linearities in the carbon cycle and climate carbon cycle feedbacks, the standard carbon cycle in DICE 2016R2 underestimates the removal of CO<sub>2</sub> from the atmosphere by the biosphere and ocean when assessing emission pathways with cumulative emissions considerably smaller than 5000 GtC. As a consequence of this, the concentration and thus also the temperature impact of each ton of CO<sub>2</sub> emitted is likely to be too high in DICE 2016R2 for cumulative emission levels compatible with a stabilization of global mean surface temperature well below 2°C.

In order to deal with these issues, we change the carbon cycle in DICE 2016R2 so that it takes into account the non-linearity in the carbon cycle as well as climate carbon cycle feedbacks. Specifically, the linearized carbon cycle representation in DICE is changed to the carbon cycle representation in the simple climate model FAIR<sup>29,30</sup>, which was used to assess the climate impact of various emissions pathways in the IPCC<sup>36</sup> Special Report. This enables us to model a carbon cycle that is consistent with large scale carbon cycle models, such as those analyzed in Archer et al.<sup>115</sup>, over a broad range of emission pathways, and not only pathways with emission levels far above those that are consistent with the Paris Agreement.

In the Extended Data Fig. 1, we compare the optimal paths for atmospheric carbon in the standard DICE2016R2 calibration to the updated carbon dynamics based on Nordhaus’ standard discounting parameters.

## **Energy balance model**

The temperature response to changes in radiative forcing in Nordhaus<sup>34</sup> is not consistent with the response in state-of-the-art climate system models<sup>37</sup>. Since the Energy Balance Model (EBM) in DICE is a two-box model it has two characteristic response time scales whose calibration are different than those presented in Geoffroy et al.<sup>37</sup>. The rapid response (yearly time scales related to the response of the well mixed upper ocean layer) is too slow in DICE2016R2, while the slow response (century time scales related to the response of the deep ocean) is too fast compared to advanced climate system models. The latter implies

that for a given radiative forcing step change the equilibrium temperature level is approached too fast. We have therefore recalibrated the EBM so that its parameterization represents the average characteristics of climate models used in the Coupled Model Intercomparison Project Phase 5 (CMIP5)<sup>37</sup>. The equilibrium response, i.e. the climate sensitivity in DICE (being 3.1°C for a doubling in the CO<sub>2</sub> concentration), is left unchanged since it fits well in the middle of the likely distribution of Equilibrium Climate Sensitivity<sup>5,39,40</sup>.

In the Extended Data Fig. 2, we compare the optimal temperature dynamics in DICE 2016R2 with the dynamics when only the new EBM climate system model (based on Geoffroy et al.<sup>37</sup>) is implemented. The optimal temperature drops by around half a degree Celsius due to the introduction of the EBM only. Additionally, our recalibrated model includes a higher initial temperature level in 2015 compared to the standard DICE 2016R2. That is for two reasons. First, in DICE2016R2 the reference period for the atmospheric temperature change is 1900 while the updated EBM uses the average between 1850-1900 and hence, the temperature has increased slightly more since the 1850-1900 period. Second, we initialize the updated EBM with historical forcing estimates to ensure that the model's initial conditions in 2015 are internally consistent (i.e., the temperature in the two boxes are consistent with the radiative forcing history). We are not aware of any information on how this calibration is dealt with in the standard DICE 2016R2.

## **Economic damages from climate change**

The climate damage function in DICE translates a temperature increase into a percentage change in global GDP. Due to the large uncertainty involved in estimation, meta-analyses are a standard tool to inform the choice of the parameter that scales the temperature-damage relationship in models such as DICE<sup>28,43,44,46</sup>.

Tol<sup>43</sup> provided an influential meta-analysis of climate damages, which served as a basis for previous versions of the DICE model. Both the 2009 meta-analysis and an update, Tol<sup>44</sup>, have been found to contain statistical errors<sup>28</sup>. As a result Nordhaus revised the climate damage function in the 2016 version of DICE<sup>34,46</sup> based on his own meta-analysis of 36 studies that report a damage estimate. Each of these estimates is treated as an independent draw from an underlying damage function. This is a precondition for using the usual statistical analysis needed. However, the independence assumption can be questioned as several of the estimates come from the same limited circle of authors. The selected climate damage function translates a temperature increase of 3°C into a damage of 2.12% of global GDP.

Howard and Sterner<sup>28</sup> provide an up-to-date meta-analysis of the temperature-damage relationship. They find strong evidence that Nordhaus and Moffat's<sup>46</sup> damage estimate is biased due to duplicates and omitted variables in the regression. In their preferred model<sup>28</sup> (Regression 4 in Table 2), total damages that include a markup of 25% for omitted non-

905 market damages from climate change are substantially higher, reaching 6.69% of global GDP  
906 for a 3°C temperature increase. This is closer to recent empirical evidence<sup>47</sup>, which shows  
907 that economic damages from climate change may be even more severe, but has the merit  
908 that it can be incorporated directly into the DICE model. Nordhaus<sup>1</sup> also used this damage  
909 function in sensitivity analysis. Extended Data Fig. 3 compares the baseline to the isolated  
910 effect of the updated optimal economic damage from climate change (as a percentage of  
911 global GDP) under Nordhaus' discounting choices. Damages are substantially higher in the  
912 updated model for most of the time horizons considered.

913

#### 914 **Intergenerational welfare**

915 In the standard social objective function used in DICE, welfare weights across generations  
916 can be chosen based on both normative and positive considerations. Drupp et al.<sup>24</sup> have  
917 undertaken a large, representative survey of academics publishing in leading economics  
918 journals who have specific expertise on these matters to determine their views on the  
919 values that the welfare weights in the social objective function should take. 173  
920 respondents provided complete responses on the normative parameters in DICE (See Box  
921 1). In the main text, we employ two approaches to find some central, mediating value  
922 among the different expert opinions, for policy purposes. We now report the motivation  
923 behind these concepts of central tendency by explaining how the “median expert view” and  
924 “median expert path” are constructed.

925 The “median expert view” represents the median response of all 173 experts for each of the  
926 two discounting parameters, the rate of pure time preference and inequality aversion. The  
927 “median expert view” has a theoretical justification in the literature on voting outcomes. It  
928 can be interpreted as the voting outcome if experts have circular indifference curves around  
929 their central value, and vote simultaneously and separately over the two welfare  
930 parameters<sup>59,60</sup>.

931 The “median expert path” represents the median of all model runs for the SCC, temperature  
932 and emissions associated with each of the 173 experts' chosen pair of discounting  
933 parameters at each point in time. The “median expert path” has a theoretical justification in  
934 the literature on voting outcomes. It can be interpreted as the voting outcome if experts  
935 have single-peaked preferences, and vote over a specific end point of a climate path at a  
936 given point in time<sup>58</sup>, instead of parameters as in the case for the “median expert view”.  
937 Hence, a given “median expert path” tracks voting outcomes for a given climate path at any  
938 given point in time.

939 The “median expert path” should primarily be viewed as a pragmatic, alternative definition  
940 of central tendency, as the superior mediating statistic it is not clear a priori. The “median  
941 expert path” offers mediating climate paths that are less stringent compared to the paths  
942 implied by the “median expert view”.

943 It should be noted that a major finding of the expert survey is that a majority of experts do  
944 not follow the simple Discounted Utilitarian approach and associated Ramsey rule (See Box  
945 1), but deviate for a number of reasons<sup>24</sup>. These include project risk, uncertainty,  
946 environmental scarcity, effects of inequalities within generations as well as alternative  
947 ethical approaches (See Box 2). As the mean (median) imputed simple Ramsey rule in the  
948 expert survey is higher than the recommended mean (median) social discount rate, these  
949 extensions are likely to lead to recommending more stringent climate policy. The main text  
950 may therefore depict conservative results.

951

## 952 **Non-CO<sub>2</sub> forcing**

953 Abatement of non-CO<sub>2</sub> emissions are critical when aiming for stringent climate stabilization  
954 levels<sup>2,36</sup>. The scenario assumption for the radiative forcing from non-CO<sub>2</sub> climate forcers in  
955 Nordhaus<sup>34</sup> is exogenously given. It is substantially higher compared to what is estimated in  
956 other climate scenario work analyzing pathways compatible with stabilization of global  
957 mean surface temperature around 1.5-3°C above the pre-industrial level, e.g., the  
958 Representative Concentration Pathways (RCP) 2.6 and 4.5<sup>119</sup> or the Shared Socioeconomic  
959 Pathways (SSP) towards 1.9 W/m<sup>2</sup><sup>118</sup>. While several of these abatement options for non-  
960 CO<sub>2</sub> emissions might not be cost-effective at modest carbon prices as those suggested in the  
961 original DICE model (39 US\$ in 2020), it very likely becomes cost effective to abate non-CO<sub>2</sub>  
962 greenhouse gases if governments implement policies that will meet current UN climate  
963 targets<sup>2,120</sup>. This implies that the exogenously set radiative forcing pathway for non-CO<sub>2</sub>  
964 emissions in DICE is too high for the majority of our optimal policy runs. We therefore  
965 consider a pathway of non-CO<sub>2</sub> greenhouse gases that is better aligned to the CO<sub>2</sub> price and  
966 temperature levels we obtain with the updated version of DICE. Specifically, we have  
967 changed the radiative forcing scenario from non-CO<sub>2</sub> forcers so that it matches the path of  
968 the REMIND integrated assessment model using the SSP2 scenario meeting a non-CO<sub>2</sub>  
969 forcing level of 2.6 W/m<sup>2</sup> in 2100<sup>31</sup>. This scenario reaches similar carbon concentrations,  
970 radiative forcing and temperature levels as obtained in our fully updated DICE model. In the  
971 Extended Data Fig. 4, we compare the standard to the updated path for non-CO<sub>2</sub> forcing in  
972 isolation.

973

## 974 **Negative emissions technologies**

975 A key difference between the DICE and the IPCC Special Report<sup>36</sup> is the stance regarding the  
976 availability of carbon removal technologies leading to net negative emissions. While the  
977 scenarios considered by the IPCC<sup>2,36</sup> make use of negative emission technologies roughly by  
978 the year 2050, the DICE 2016R2 model assumes that this will only be feasible from 2160  
979 onwards. In line with the pathways assessed in the IPCC report, we allow for the possibility  
980 of negative emissions technologies from mid-century onwards. We set the upper level of  
981 abatement to 120% of baseline emissions as in DICE 2016R2. Consequently, emissions reach

982 -18 GtCO<sub>2</sub> per year for the lower 95% bound of expert views on discounting by 2100. For  
983 comparison, the emission pathways that are assessed in IPCC SR 1.5 and that meet the 1.5°C  
984 level by 2100 have a median emission level of -12 GtCO<sub>2</sub> per year in 2100, with a 90%  
985 interval of -20 GtCO<sub>2</sub> per year to -2.3 GtCO<sub>2</sub> per year, while the emissions level in 2070 has a  
986 median of -8.0 GtCO<sub>2</sub> per year and a 90% interval of -15 GtCO<sub>2</sub> per year to -0.70 GtCO<sub>2</sub> per  
987 year (estimated from data available in IAMC 1.5°C scenario explorer<sup>72</sup>). The timing of the  
988 availability of negative emissions technologies as well as their potential magnitude are still  
989 intensely debated<sup>69,70</sup>, and will ultimately, similar to all abatement technologies, depend on  
990 the interplay of technological development and (expected) carbon prices.

991

## 992 **Feasibility constraints**

993 We impose a set of constraints on the maximum rate of technologically feasible  
994 decarbonization. These conditions allow for a more credible study of low-emission  
995 scenarios. The main text contains all relevant information. In a next step, we present the  
996 resulting climate policy paths under updated model specifications. In Fig. S2 of the  
997 additional Supporting Information, we show how different positions on social discounting  
998 translate into plausible ranges of climate policy paths within the baseline DICE 2016R2  
999 model calibration.

1000

## 1001 **Optimal climate policy paths under updated model specifications**

1002 **First**, we now consider the introduction of the new carbon cycle dynamics. Extended Data  
1003 Fig. 5 shows how different positions on social discounting translate into plausible ranges of  
1004 climate policy paths in DICE 2016R with the new updated carbon cycle.

1005 The maximum SCC in the 66 (95) percentile range are \$277 (\$1017) in the year 2020 and  
1006 \$1080 (\$2310) in 2100. By contrast, the minimum SCC in 2020 in the 66 (95) percentile  
1007 range is \$16 (\$3) increasing to \$161 (\$24) in 2100. Nordhaus' SCC is at \$25 in 2020 and \$245  
1008 in 2100. By contrast, the median expert view translates into a SCC of \$140 in 2020,  
1009 increasing to \$742 in 2100. The median path in turn results in a SCC of \$43 in 2020,  
1010 increasing to \$484 in 2100.

1011 In the central 66 percentile plausible range, the decarbonization of the global economy  
1012 occurs 5 years later compared to the baseline model; the economy should either be  
1013 decarbonized in 2045 or 2135. In Nordhaus' best-guess, the economy would not be  
1014 decarbonized within this century, while optimal decarbonization takes place by 2065 in the  
1015 median expert's view. The median path in turn results in decarbonization by 2090.

1016 While Nordhaus' view on social discounting translates into 3.27°C warming by 2100, the  
1017 median expert view (median paths) leads to an increase in temperature of 2.43°C (2.93°C)  
1018 by 2100. In the 66-percentile range, the temperature increase in 2100 is as high as 3.43°C  
1019 (3.53°C) at the upper end, and 2.13°C (2.0°C) at the lower end. Moreover, none of the



1020 model runs that result from the expert views would lead to an optimal policy that stays  
1021 within the 1.5°C limit of the Paris Agreement. Overall, only 6% of all model runs stay below  
1022 2°C by 2100.

1023 **Second**, we add the updated energy balance model. Extended Data Fig. 6 shows how  
1024 different positions on social discounting translate into plausible ranges of climate policy  
1025 paths in DICE 2016R2 with updated carbon cycle and energy balance model.

1026 Compared to the model that only incorporates the updated carbon cycle the SCC decrease  
1027 in almost all model runs. The maximum SCC in the 66 (95) percentile range are \$221 (\$752)  
1028 in the year 2020 and \$887 (\$1720) in 2100. By contrast, the minimum SCC in 2020 in the 95  
1029 (66) percentile range is \$6 (\$18) increasing to \$41 (\$161) in 2100. The SCC using the  
1030 discounting parameters of Nordhaus remains at \$25 in 2020 and increases to \$245 in 2100.  
1031 By contrast, the median expert view results in a SCC of \$113 in 2020, increasing to \$609 in  
1032 2100. The median path in turn leads to a SCC of \$38 in 2020, increasing to \$406 in 2100.

1033 In the central 66 percentile plausible range, the economy should either be decarbonized in  
1034 2055 or 2190. In Nordhaus' best-guess, the economy would not be decarbonized within this  
1035 century, while optimal decarbonization takes place by 2065 in the median expert's view.  
1036 The median path in turn results in decarbonization by 2090. Hence, the introduction of the  
1037 updated energy balance model shifts optimal decarbonization into the future.

1038 While Nordhaus' view on social discounting now translates into 2.97°C warming by 2100,  
1039 the median expert view (median paths) leads to an increase in temperature of 2.14°C  
1040 (2.61°C) by 2100. In the 95% (66%) range, the temperature increase in 2100 is 3.27°C  
1041 (3.12°C) at the upper end, and 1.63°C (1.83°C) at the lower end. Moreover, still none of the  
1042 model runs that result from the expert views would lead to an optimal policy that stays  
1043 within the 1.5°C limit of the Paris Agreement. Overall, now 23% of all model runs stay below  
1044 2°C by 2100.

1045 **Third**, we add the updated temperature-damage relationship according to Howard and  
1046 Sterner<sup>28</sup>. Extended Data Fig. 7 shows how different positions on social discounting translate  
1047 into plausible ranges of climate policy paths in DICE 2016R2 with updated carbon cycle,  
1048 energy balance model and temperature-damage relationship.

1049 Compared to the model that incorporates the updated carbon cycle and energy balance  
1050 model only, the SCC is, not surprisingly, increased quite markedly by the introduction of the  
1051 new damage function. The maximum SCC in the 66 (95) percentile range are \$568 (\$2363)  
1052 in the year 2020 and \$2203 (\$5345) in 2100. By contrast, the minimum SCC in 2020 in the 95  
1053 (66) percentile range is \$19 (\$56) increasing to \$129 (\$448) in 2100. Nordhaus' SCC is \$76 in  
1054 2020 and increasing to \$593 in 2100. By contrast, the median expert view leads to a SCC of  
1055 \$289 in 2020, increasing to \$1464 in 2100. The median path in turn results in a SCC of \$113  
1056 in 2020, increasing to \$995 in 2100.

1057 In the central 66 percentile plausible range, the economy should either be decarbonized in  
1058 2025 or 2090. In Nordhaus' best-guess, the economy would be decarbonized by 2080, while

optimal decarbonization takes place by 2040 in the median expert's view. The median path in turn results in decarbonization by 2065. Hence, the introduction of the updated temperature-damage relationship means that optimal decarbonization occurs sooner.

While Nordhaus' view on social discounting now translates into 2.24°C warming by 2100, the median expert view (median paths) leads to an increase in temperature of 1.71°C (2.02°C) by 2100. In the 95 (66) percentile range, the temperature increase in 2100 is 2.97°C (2.46°C) at the upper end, and 1.63°C (1.63°C) at the lower end. Moreover, still none of the model runs that result from the expert views would lead to an optimal policy that stays within the 1.5°C limit of the Paris Agreement. However, with updated damage function, 57% of all model runs stay below 2°C by 2100.

Howard and Sterner<sup>28</sup> provide an update on how damage estimates are combined to calibrate the standard damage function, but abstract from “catastrophic” climate damages. In the following, we run the DICE model with updated carbon cycle and energy balance model with the Weitzman<sup>50</sup> damage function calibrated to incorporate damages of 2.9% (50%) in units of output for a temperature increase of 3°C (6°C). Fig. S3 in the additional Supporting Information shows how different positions on social discounting translate into plausible ranges of climate policy paths in DICE 2016R2 with updated carbon cycle, energy balance model and temperature-damage relationship as in Weitzman<sup>50</sup>. Overall, the results show much less stringent climate policy as compared to the case with the Howard and Sterner<sup>28</sup> damage function. This is because, for up to 3°C temperature increase, the Weitzman<sup>50</sup> damage function has a similar shape as compared to the Nordhaus<sup>34</sup> damage function. Only for higher temperature increases, the “catastrophic” damages kick in, leading to 50% output loss for 6°C warming. Thus, in the relevant range of climate policy measures that are optimal according to DICE with updates carbon cycle and energy balance model (for example 3.27°C temperature increase by 2100 at the upper 95% bound), the “catastrophic” part of Weitzman's<sup>50</sup> damage function does not become relevant.

**Fourth**, we add the updated exogenous path for non-CO<sub>2</sub> forcing. Extended Data Fig. 8 shows how different positions on social discounting translate into plausible ranges of climate policy paths in DICE 2016R2 with updated carbon cycle, energy balance model, temperature-damage relationship and non-CO<sub>2</sub> forcing.

The updated non-CO<sub>2</sub> forcing scenario reflects an improved management of non-CO<sub>2</sub> emissions in line with the SCC and temperature levels we got after having updated the damage function. The maximum SCC values thus decrease; in the 66 (95) percentile range they are \$358 (\$1059) in the year 2020 and \$1258 (\$2193) in 2100. By contrast, the minimum SCC in 2020 in the 95 (66) percentile range is \$19 (\$54) increasing to \$121 (\$377) in 2100. Nordhaus' SCC is \$72 in 2020 and increasing to \$491 in 2100. By contrast, the median expert view leads to a SCC of \$229 in 2020, increasing to \$1006 in 2100. The median path in turn results in a SCC of \$106 in 2020, increasing to \$761 in 2100.

1098 In the central 66 percentile plausible range, the economy should either be decarbonized in  
1099 2035 or 2100. In Nordhaus' best-guess, the economy would be decarbonized in 2085, while  
1100 optimal decarbonization takes place by 2050 in the median expert's view. The median path  
1101 in turn results in decarbonization by 2070.

1102 While Nordhaus' view on social discounting now for the first time translates into staying  
1103 below the 2°C temperature target (1.98°C warming by 2100), the median expert view  
1104 (median paths) leads to an increase in temperature of 1.44°C (1.75°C) by 2100. In the 95  
1105 (66) percentile range, the temperature increase in 2100 is 2.68°C (2.21°C) at the upper end,  
1106 and 1.28°C (1.32°C) at the lower end. For the first time the 1.5°C temperature target by  
1107 2100 is in line with optimal economic policy according to a third of the 173 expert views on  
1108 social discounting. Three quarters of all model runs stay below 2°C by 2100.

1109 **Fifth**, we make negative emissions technologies available in 2050 instead of 2160 in  
1110 DICE2016R2. Extended Data Fig. 9 shows how different positions on social discounting  
1111 translate into plausible ranges of climate policy paths in DICE 2016R2 with updated carbon  
1112 cycle, energy balance model, temperature-damage relationship, non-CO<sub>2</sub> forcing and  
1113 negative emissions technologies available by 2050.

1114 The earlier availability of negative emissions technologies increases the emissions budget in  
1115 line with any given temperature target. The maximum SCC values in the 66 (95) percentile  
1116 range are \$242 (\$425) in the year 2020 and \$630 (\$640) in 2100. By contrast, the minimum  
1117 SCC in 2020 in the 95 (66) percentile range is \$19 (\$54) increasing to \$113 (\$362) in 2100.  
1118 Nordhaus' SCC is \$70 in 2020 and increasing to \$446 in 2100. The median expert view leads  
1119 to a SCC of \$199 in 2020, increasing to \$575 in 2100. The median path in turn results in a  
1120 SCC of \$103 in 2020, increasing to \$569 in 2100.

1121 In the central 66 percentile plausible range, the economy should either be decarbonized in  
1122 2060 or 2100. In Nordhaus' best-guess, the economy would be decarbonized in 2090, while  
1123 optimal decarbonization takes place by 2070 in the median expert's view. The median path  
1124 in turn results in decarbonization by 2080.

1125 While Nordhaus' view on social discounting translates into 2.01°C warming by 2100, the  
1126 median expert view (median paths) leads to an increase in temperature of 1.38°C (1.75°C)  
1127 by 2100. In the 95 (66) percentile range, the temperature increase in 2100 is 2.63°C (2.23°C)  
1128 at the upper end, and 0.90°C (1.20°C) at the lower end. 38% of all model runs stay within  
1129 the 1.5°C limit of the Paris Agreement and 76% of all model runs stay below 2°C by 2100.

1130 As the last step, we add the described technology inertia constraints resulting in Figure 2 in  
1131 the main text.

1132

1133


1134





1135 References for Methods:

- 1136 115. Archer, D. et al. Atmospheric lifetime of fossil fuel carbon dioxide. *Annual Review of*  
1137 *Earth and Planetary Science* **37**, 117-134 (2009).
- 1138 116. Caldeira, K. & Kasting, J. F. Insensitivity of global warming potentials to carbon  
1139 dioxide emission scenarios. *Nature* **266**, 251-253 (1993).
- 1140 117. Maier-Reimer, E. & Hasselmann, K. Transport and storage of CO<sub>2</sub> in the ocean: An  
1141 inorganic ocean-circulation carbon cycle model. *Climate Dynamics* **2**, 63-90 (1987).
- 1142 118. Rogelj J. et al. Scenarios towards limiting global mean temperature increase below  
1143 1.5°C. *Nature Climate Change* **8**, 325–332 (2018b).
- 1144 119. Meinshausen, M. et al. The RCP greenhouse gas concentrations and their extension  
1145 from 1765 to 2300. *Climatic Change* **108**, 213-241 (2011).
- 1146 120. Harmsen J. H. M., van Vuuren D. P., Nayak D. R., Hof A. F., Höglund-Isaksson L.,  
1147 Lucas P. L., Nielsen J. B., Smith, P. & Stehfest, E. Long-term marginal abatement cost  
1148 curves of non-CO<sub>2</sub> greenhouse gases, *Environmental Science and Policy* **99**, 136–149  
1149 (2019).


# Intergenerational Welfare

4






Temperature change 2100, °C



Years to decarbonization from 2020



SCC 2020, US\$ per ton CO<sub>2</sub>

